



CONFERENCE PROGRAMME
and
ABSTRACTS

ASAAQ 2007

**The 10th International Conference on
Atmospheric Sciences and
Applications to Air Quality**

14 – 16 May 2007

Hong Kong

Organized by:

 Department of Civil and Structural Engineering
The Hong Kong Polytechnic University

Supported by:

Chinese Research Academy of Environmental Sciences
Chinese Society for Environmental Sciences

Sponsored by:

The Croucher Foundation
 CLP Power Hong Kong Limited

Website: <http://www.cse.polyu.edu.hk/seminar/conf/asaaq/asaaq07.htm>



Conference Chairperson

Y.S. Li The Hong Kong Polytechnic University, Hong Kong

Conference Secretary

T. Wang The Hong Kong Polytechnic University, Hong Kong

International Coordinating Committee

H. Akimoto	Frontier Research Center for Global Change, Japan
G. P. Ayers	CSIRO, Australia
R. Bornstein	San Jose State University, U.S.A.
H. Bravo	National University of Mexico, Mexico
P. Brimblecombe	University of East Anglia, U.K.
G.R. Carmichael	University of Iowa, U.S.A.
Y.S. Chung	Korea Centre for Atmospheric Environment Research, Korea
M. Estoque	Ateneo de Manila University, Philippines
L.G. Klenner	University of Chile, Chile
E. Genikhovich	Voeikov Main Geophysical Observatory, Russia
J. Hao	Tsinghua University, China
Y.P. Kim	Ewha Womans University, Korea
S.C. Liu	Academia Sinica, Taiwan, China
P. Thunis	EC JRC-EI, Ispra, Italy
K. Tørseth	Norwegian Institute for Air Research, Norway
H. Ueda	Kyoto University, Japan
C. Venkataraman	Indian Institute of Technology, India
W.X. Wang	Chinese Research Academy of Environmental Sciences, China

Local Organizing Committee

Chak Chan	The Hong Kong University of Science and Technology
Johnny Chan	City University of Hong Kong
Jimmy Fung	The Hong Kong University of Science and Technology
H.T. Hung	The Hong Kong Polytechnic University
S.C. Lee	The Hong Kong Polytechnic University
Dennis Leung	The University of Hong Kong
Peter Louie	Environmental Protection Department, Hong Kong SAR
Jeanne Ng	CLP Power Hong Kong Limited
Janet Nichol	The Hong Kong Polytechnic University
Peter A. Tanner	City University of Hong Kong

EVALUATIONS ON AIR POLLUTION FROM SHIPS FOR EUROPE: EFFECTS ON CLIMATE CHANGE

Hüseyin Toros* and Ali Deniz

Istanbul Technical University
Faculty of Aeronautics and Astronautics
Meteorology Department
Maslak 34469 İstanbul-TURKEY

ABSTRACT

Air pollution is one of the important environmental problems for ecosystem future. There are a lot of source of air pollution, and one of them is sea transportations. The transportation of goods has recently been increasing by ships, because The international shipping trade is an important part of the global economy. The air pollution from ships move longer than land air pollution, due to there is no obstruction in the sea. So ships' emission is reach land and harmful for human health and animals, plants and the others. The major air pollution, due to combustion of marine fuels, from ship are fine particles, nitrogen oxides (NO_x), sulphur oxides (SO_x), carbon dioxide (CO₂), volatile organic compound (VOC). Sulphur dioxide (SO₂) and nitrogen oxide (NO_x) emissions from ships are responsible for acid deposition.

The ships that burn tons of fuel per hour, generating large volumes of pollution, global warming gases and black carbon, contribute to climate change. According to the International Maritime Organization (IMO) radioactive forcing due to CO₂ emissions from ships indicates that ships may account for 1.8 per cent of the global. European flagged ships emitted almost 200 million tones of CO₂, 2.6 million tons of SO₂ and 3.6 million tons of NO_x in 2000.

KEYWORD(S)

Air Pollution, Environment, Climate Change.

*** CORRESPONDING AUTHOR**

Hüseyin Toros, Istanbul Technical University, Faculty of Aeronautics and Astronautics, Meteorology Department, Maslak 34469 İstanbul-TURKEY
telephone +90 2122853127, fax +90 2122852926, email toros@itu.edu.tr

1. Introduction

Since the beginning of the industrialization population and sea transportation have been increasing and they cause for air pollution, which is some frightened for ecological future because of climate change. Therefore climate change is one of the most difficult environmental problems faced by humankind. There are a lot of scenario types about air pollution in the world; they are quality, quantity, transportation, possible effects and the others. The issue of controlling air pollution from ships was discussed in the International Convention for the Prevention of Marine Pollution (MARPOL) in the 1973. However, it was decided not to include regulations concerning air pollution at the time. Long and short distance shipping plays important roles in facilitating international trade transportation over the world. Cargo transport by ships is about 70 percent of all trade between the European Union (EU) and the rest of the world. More than 30,000 ships with tonnage at or above 250 gross registered tons operate in European waters in a given year. Air pollution like ozone and fine aerosol particles, produced as secondary products of shipping emissions, can be transported long distances in the atmosphere, from sea to land, and even from one continent to another, (Toros et al, 2006; Harrison et al., 2004; Derwent et al., 2004; Jaffe et al., 2003; ENTEC 2002; Qinbin et al., 2002; Davies et al. 2000).

Environmental and Engineering Consultancy (ENTEC) has been studied about ship emissions of SO₂, NO_x, CO₂ and hydrocarbons in the North Sea, Irish Sea, English Channel, Baltic Sea, Black Sea and Mediterranean, as well as quantifying in port emissions of these pollutants plus particulate matter; to determine these emissions for all vessels as well as separately for each vessel type and flag state. This should separately consider, all vessel movements, where the starting port and destination port are both in the Community, where the starting port is inside the Community but the destination port is not, where the destination port is in the Community but the starting port is not and where no stops at any Community port are undertaken; Estimation of the effects of the International Convention for the Prevention of Marine Pollution (MARPOL) from ships agreement and additional future scenarios upon emissions, principally sulphur dioxide and particles, in the North Sea and Baltic Sea and other European seas, to present these emissions in tabular and map form; to undertake a market survey of low sulphur marine distillates, and to investigate the feasibility of ships storing and using multiple grades of marine distillates, (ENTEC, 2002; Acid News, 2006).

Emissions from international shipping in European waters show a steady increase. Since 1990, ship emissions of SO₂ have gone up from 1.8 to 2.6 million tonnes, and those of NO_x from 2.6 to 3.7 million tonnes – in both cases an increase of more than 40 per cent, (Acid News, 2006). Ships are fast becoming the biggest source of air pollution in the EU. According to the Commission of the European Communities (CEC) unless more action is taken they are set to emit more than all land sources combined by 2020, (CEC, 2005).

As the International Maritime Organization (IMO) notes in their study of greenhouse emissions from ships, there is an increasing awareness of the impacts of shipping emissions on onshore air quality. An estimated 85 percent of international shipping traffic occurs in the northern hemisphere, and 70 percent of that is within 400 km of land. Much of the shipping activity and associated emissions occur near major urban areas, many of which are already struggling with air quality problems (IMO, 2000). In 2000 EU flagged ships also emitted almost 200 million tonnes of carbon dioxide. This is significantly more than emissions from EU aviation. Ships all over the world burns million tons of fuel per year,

generating large volumes of global warming gases like CO₂ that contribute to climate change, (ENTEC, 2005).

2. Air Pollution From Ships

Scientists engaged in finding the effects of air pollution in sea transportation, estimate and design a model and to estimate its environmental effects. Engineers, on the other hand, are interested in finding cheaper but least harmful systems. Emission of air pollution from shipping due to combustion of marine fuels contribute to air pollution in the form of NO_x, SO_x, PM, CO₂, and VOC cause negative effect on climate change. SO_x and NO_x and particulate matter.

Air pollution from ships depends on the vessel, vessel type, engine type, vessel size, and the quality of fuel oil and sea species for example the Bosphorus like a river. For example the ship going from Mediterranean to Black sea must use more fuel oil to burn and that means more air pollution. Also the effects of air pollution from ships depend on meteorological parameters in the region. Truck versus ship emissions average vehicle and fuel, a ship will let out 30-50 times more sulphur per ton-kilometers than a truck. When diesel becomes even cleaner in 2005, the difference will increase to 150-300 times. Turning to nitrogen oxides, ships now release about twice as much per ton-kilometer as the latest truck models, and the difference is set to increase, (Table 1). In 2005, the emission standards for trucks in the EU will be cut from the present 5.0 g/kWh to 3.5, and in 2008 to 2.0 g/kWh, (NTM, 2006; Toros, 2000).

Table 1. Emissions from trucks on long hauls with different EU standards for emissions and from cargo vessels of various sizes. Figures in grams per ton-kilometer, (NTM, 2006).

	CO ₂	PM	SO ₂	NO _x	VOC
Heavy truck with trailer:					
Before 1990	50	0.058	0.0093	1.00	0.120
Euro 0 (1990)	50	0.019	0.0093	0.85	0.040
Euro 1 (1993)	50	0.010	0.0093	0.52	0.035
Euro 2 (1996)	50	0.007	0.0093	0.44	0.025
Euro 3 (2000)	50	0.005	0.0093	0.31	0.025
Cargo vessel:					
large (>8000 dwt)	15	0.02	0.26	0.43	0.017
Medium (2000-8000 dwt)	21	0.02	0.36	0.54	0.015
small (<2000 dwt)	30	0.02	0.51	0.72	0.016
RoRo (2-30 dwt)	24	0.03	0.42	0.66	0.029

Emissions are average in each case. Trucks: maximum overall weight 40 tons, loading 70 per cent, operating on diesel with a sulphur content of 300 ppm. Cargo vessel: bunker oil with an average sulphur content of 2.6 per cent, no cleaning of NO_x, (NTM, 2006).

Table 2 shows the growth of emissions of air pollutants (NO_x, SO₂, CO₂, HC, PM) and low and high estimation values of next future. Annual growth in shipping movements for future

years, which estimated between 1.5% and 3% growth per annum in vessel movements for the period 2000 – 2010. The estimations of NO_x, SO₂, CO₂, HC and PM are 4.649, 3.294, 200.105, 171 and 28 million tons respectively, (ENTEC, 2002).

Table 2. Past and future estimated shipping emissions scenario in 1990, 2000 and 2010, (ENTEC, 2002).

	NO _x	SO ₂	CO ₂	HC	PM (in port)
1990	2,808	2,001	122,115	104	16
2000	3,617	2,578	157,298	134	21
2010-Low	4,015	2,845	172,791	147	24
2010-High	4,649	3,294	200,105	171	28

3. Evaluation of Results

When the air pollution emitted from ships began to threaten the ecosystem, so scientist started to study the dimension of its effects and low maker, on the other hand, tried to enact laws which would minimize its effects, because of the quantity of emission from ships depends on the type of the ship, the quality of fuel oil and the largeness of the load carried. Sea transportation is preferred for carrying oil, oil products and the largeness and heavy load.

Due to SO₂ and NO_x emissions are responsible for acid deposition, which can be harmful to the environment, as well as particulate matter harmful to health. NO_x and VOC emissions contribute to the formation of ground-level ozone harmful to health and to the environment. NO_x emissions contribute to environmentally damaging eutrophication. CO₂ emissions contribute to global climate change. Halon emissions damage the ozone layer.

The air pollution emissions of ships passing through the Turkish Straits, strategically situated between Asia and Europe, not only have harmful effects on the people but cause a great deal of damage to historical objects.

The purpose of this studying the air pollution emission from ships is to enlighten the people of its harmful effects and to encourage them to use less harmful fuel especially in transportation liquid or gaseous matters through the pipe system.

People's health, ecology, destruction of historical objects, and other problems like climatic change created by air pollution is a threat of the world's future. Unless we take steps to obliterate it we will have to face the consequences. As a result for our future we must do sets out a number of actions to reduce the air pollution from shipping to acidification, ground-level ozone, eutrophication, health, ozone depletion and climate change.

4. References

- Acid News, 2006. The Swedish Society for Nature Conservation, No. 3, October, Göteborg, Sweden.
- CEC, 2005. The Communication on Thematic Strategy on Air Pollution and The Directive on “Ambient Air Quality and Cleaner Air for Europe”, Commission Staff Working Paper, Ship emissions assignment report, p160.
- Davies, M.E., Plant, G., Cosslet, C., Harrop, O. and Petts, J.W., 2000. Study on the economic, legal, Environmental and practical implications of a European Union system to reduce ship emissions of SO₂ and NO_x. Final report for European Commission Contract B4-3040/98/000839/MAR/B1, 2000.
- Derwent, R.G., Stevenson, D.S., Collins, W.J., Johnson, C.E.(2004), “Intercontinental transport and the origins of the ozone observed at surface sites in Europe,” *Atmos. Environ* 38:1891.
- DM, 2004. T.C. Başbakanlık, Denizcilik Müsteşarlığı, Seyir Güvenliği Daire Başkanlığı, Ankara, (www.cankaya.gov.tr), 2004.
- ENTEC, 2002. Quantification of emissions from ships associated with ship movements between ports in the European Community. Study for the European Commission. (www.europa.eu.int/comm/environment/air/background.htm#transport)
- ENTEC, 2005. European Commission Directorate General Environment Service Contract on Ship Emissions: Assignment, Abatement and Market-based Instruments Contract No: 070501/2004/383959/MAR/C1 Task 1 - Preliminary Assignment of Ship Emissions to European Countries Final Report August 2005, Entec UK Limited.
- Harrison, D., Radov, D. and Patchett, j., 2004. Evaluation of the Feasibility of Alternative Market-Based Mechanisms To Promote Low-Emission Shipping In European Union Sea Areas. National Economic Research Associates, NERA Economic. Final Report March 2004
- IMO, 2000. MARNEK Det Norske Veritas, Econ Centre for Economic Analysis, and Carnegie Mellon University for International Maritime Organization (IMO), Marine Environment Protection Committee (MEPC) 45(8) Agenda Item #2. Study of Greenhouse Gas Emissions from Ships.
- Jaffe, Dan, I. McKendry, T. Anderson, H. Price (2003), “Six ‘new’ episodes of trans-Pacific transport of air pollutants,” *Atmospheric Environment* 37:391–404.
- NTM, 2006. <http://www.ntm.a.se/english/eng-index.asp>.
- Qinbin Li, D. Jacob, I. Bey, P. Palmer, B. Duncan, B. Field, R. Martin, A. Fiore, R. Yantosca, D. Parrish, P. Simmonds, and S. Oltmans (2002), “Transatlantic transport of pollution and its effects on surface ozone in Europe and North America,” *Journal of Geophysical Research* Vol. 107, “NO. D13, 10.1029/2001JD001422.
- Ship Emissions Assignment Report, P. 160, 2005.
- TMPA, 2006. Turkish Maritime Pilots’ Association Home Page. <http://www.turkishpilots.org.tr/ingilizcedernek/DOCUMENTS/statistics.htm>
- Toros, H., “İstanbul’da Asit Yağışları, Kaynakları ve Etkileri”, Doktora Tezi, 110s., İTÜ, 2000.
- Toros, H., Deniz, A., Kadioğlu, M., Akhisar, İ., 2006. Deniz Ulaşımının Hava Kirliliği Üzerine Etkisi. VI. Ulusal Temiz Enerji Sempozyumu, 25-27 Mayıs 2006. Isparta.