

Supplementary data for

Highly stretchable and self-healable polyampholyte hydrogels via hydrophobic modification

Gaukhar TOLEUTAY,^{a,b} Esra SU,^c Sarkyt KUDAIBERGENOV,^{a,b} and Oguz OKAY^{c*}

^a *Institute of Polymer Materials and Technology, Almaty 050019, Microregion “Atyrau 1”, Bld. 3/1, Kazakhstan*

^b *Satbayev University, Almaty 050013, Satpayev Str. 22, Kazakhstan*

^c *Department of Chemistry, Istanbul Technical University, Maslak, 34469 Istanbul, Turkey*

Table of Contents

Fig S1 Compressive stress-strain curves of chemically cross-linked PA hydrogels in their as-prepared states. The inset is semi-logarithmic presentation of the data below 60% strain. The mole fraction x_{AMPS} in AMPS/APTAC monomer mixture is indicated S-2

Fig S2 (a): Tensile stress-strain curves of hydrophobically modified physical PA hydrogels in as-prepared state formed at various monomer concentrations CM. C18A = 2 mol %. (b, c): The modulus E (b), and tensile strength σ_F (c) of PA hydrogels without and with 2 mol % C18A plotted against CM S-2

Fig S3 (a): Five successive cyclic tensile test results conducted on a gel specimen with 20 mol % C18A in its as-prepared, water-, and ethanol-swollen states. Loading and unloading steps are shown by solid and dotted curves, respectively. Waiting time between cycles = 1 min. **(b):** Hysteresis energies U_{hys} and fraction f_{diss} of dissipated energy plotted against the number of cycles S-3




Fig S1 Compressive stress-strain curves of chemically cross-linked PA hydrogels in their as-prepared states. The inset is semi-logarithmic presentation of the data below 60% strain. The mole fraction x_{AMPS} in AMPS/APTAC monomer mixture is indicated




Fig S2 (a): Tensile stress-strain curves of hydrophobically modified physical PA hydrogels in as-prepared state formed at various monomer concentrations C_M . C18A = 2 mol %. **(b, c):** The modulus E (b), and tensile strength σ_f (c) of PA hydrogels without and with 2 mol % C18A plotted against C_M




Fig S3 (a): Five successive cyclic tensile test results conducted on a gel specimen with 20 mol % C18A in its as-prepared, water-, and ethanol-swollen states. Loading and unloading steps are shown by solid and dotted curves, respectively. Waiting time between cycles = 1 min. **(b):** Hysteresis energies U_{hys} and fraction f_{diss} of dissipated energy plotted against the number of cycles