Final Project

It was nice to meet you :) See you in a while. Have fun!

Emir Toker

Date : 29/01/2020

R Language - Indexing - 1D & 2D Data

- 1. Open your R-Studio, create a new "R Project" and "R Script" file and save it
- 2. Learn your Working Directory and check files, under your working directory
- 3. Solve this math. Is your solution **bigger** than 4 ? TRUE or FALSE.

$$5^3 - 8\frac{3}{2} + 4\sqrt{64} + 7^{-2^{4.68-\frac{1}{3}}}$$

- 4. Create a **vector** with six **numeric** and two **integer** elements, and than **assign** it to a new variable (vec1)
- 5. Check the **class** vec1. Coerce vec1 to be a **character** vector, **assign** it as vec2, and check the **class** vec2
- 6. Create a vector with eight numeric elements using sequence function, and assign it to a new variable (vec3)
- 7. Check the **length** and calculate the **mean** of *vec3*.
- 8. Print the second element of vec3 and change it as "TRUE
- 9. Create a new vector with 16 elements using the function that generate random *uniform* numbers, and assign it as *vec4*.
- 10. Create a new matrix, with 3 rows and 8 columns using vec3 and vec4 by row. Assign it as mat1.
- 11. Create a new **array** with 6 rows, 4 columns and 2 layers using *mat1*. Assign it as *arr1*
- 12. Check structure and dimensions of *mat1* and *arr1*.
- 13. Select 3rd row, 2nd column and change it with NA for each layers
- 14. Create a data frame with vec1, vec2 and vec3. Assign it as df1. Print 2nd column of df1.
- 15. Create a list with vec1, mat1, arr1 and df1. Assign it as list1. Print 4th element of list1.
- 16. Go to main web page and download Istanbul_Cekmekoy_Omerli_26072017-29072017_15min.txt in your working directory and **Read** the station data in R-Studio (be careful about file **path**, **header** and **seperator**). Assign it as **sta_data1**
- 17. Check the structure and attributes of sta_data. Print and plot the *precipiptation* and *temperature* of sta_data1.
- 18. Change temperature with **NA** if the value is **lower** than 20. Assign it as sta_data2
- 19. Write *sta_data2* as a new txt file in your working directory.
- 20. Install "ncdf4" and "RNetCDF" package and call it into R-Studio from library.

R Programming - Statistics - Visualization - 3D Data

21. Check the clock and assign it as a new variable named *clock* (e.g. 11,23). Write a **if condition**. If the *clock* is between 10 and 12, print "I am in a zoom meeting", else print "I should join a zoom meeting".

```
if ( ... ) {
    print( ... )
} else {
    print( ... )
}
```

22. Write a loop. Print i for each value from 4 to 11 in for loop.

```
for ( ... in ... ) {
    print( ... )
}
```

23. Assign temperature of sta_data1 as temp1. Write an nested if-else condition in for loop. Do these:

- look for all temperature values with **for loop**, (lenght of *temp1* is important, from 1st element to last element of *temp1*)
- if *temp1* is bigger than 20 and lower than 30 then print the value with " is not a extreme value"
- else if *temp1* is lower than 20 then print each value with " is a lower value"
- else, print each value with " is a bigger value"

```
for (i in 1:length( ... )) {
    if (temp1[i] < ... & ... ) {
        print(c(temp1[i], ... ))
    } else if ( ... ) {
        print( ... )
    } else { ... }
}</pre>
```

24. Write a function with named "outlier". Do these into function;

- Mean, Median, Range of *temp1*
- Variance, Standart Deviation
- Plot, hist
- Barplot with table function
- Summary function
- Boxplot
- Write a **loop** and **condition**: Look **for** (loop) all *temp1*, **if** (condition) there is a outlier, **print** the *value* and " *is outlier*" together. Also **print** *index of outlier*.

NOTE : Condition for outliers is: OUTLIERS < MEAN-IQR(temp1) or OUTLIERS > MEAN+IQR(temp1)

```
outlier <- function( x ) {
mean(...)
median(...)
...</pre>
```

```
...
...
for (i in 1:length(x)) {
    if ( ... ) {
        print(c( ... , ... ))
        print(which(...))
        }
    }
}
```

- 25. Go to main web page and download CRU_TR_Near-Surface_Temp_16-01-1901_16-12-2012_Monthly.nc in your working directory and **read** the station data in R-Studio (with **ncdf4** or **RNetCDF** Package). Assign it as **cru_data1**.
- 26. Check the metadata, structure, class and attributes of cru_data1.
- 27. Write these to me as messages:
 - The **number** of *variable*(s) and *dimension*(s)
 - **Name**(s) of *dimension*(s),
 - Long and short **name** of *variable*(s),
 - The size of *time* step.
 - Last step of *time*.

```
message(" ... variable(s) and ... dimension(s) ")
message("dimensions are ..., ..., ...")
message("the short name of variable is ..., the long name of variable is ... ")
message("the size of time step is ... ")
message("Time ends in ... / ... ")
```

- 28. Get attributes of variable from cru_data1 data (with ncdf4 or RNetCDF Package).
- 29. Get the temperature variable from cru_data1 data (with ncdf4 or RNetCDF Package). Assign it as *var1*.
- 30. Check the structure, class and dimensions of *var1*.
- 31. Print var1 at 2nd Time step for all Latitude, Longitude.
- 32. Image the Turkey Temperature Map for November 2010. (with latitudes and longitudes 2D map) (be careful about the size of time step and temporal resolution of cru_data1)
- 33. Can you find the Latitude and Longitude grid (or index) number of Istanbul, approximately ? (e.g., var1[2,34,])
- 34. Calculate the mean of *var1* for Istanbul grid (or index) for ALL time.
- 35. Plot the values of *var1* time series for ALL time considering the Istanbul grid (hint: use the index of Istanbul, e.g., var1[2,34,]).
- 36. Can you plot (or **Image**) the **mean** of Turkey Temperature Map for **ALL time** (hint: use the **apply** function)
- 37. If you are here, then special thanks to you for visiting my GitHub page, and our official website (*Hint:* You are special!)