

2 C++ As a Better C


59

C++ As a Better C

► C++ was developed from the C programming language, by adding some features to it. These features can be collected in three groups:

1. Non-object-oriented features, which can be used in coding phase. These are not involved with the programming technique.
2. Features which support object-oriented programming.
3. Features which support generic programming.

► With minor exceptions, C++ is a superset of C.



Minor exceptions:
C code that is not C++

Object Oriented Programming

60

C++'s Enhancements to C (Non Object-Oriented)

► Caution: The better one knows C, the harder it seems to be to avoid writing C++ in C style, thereby losing some of the potential benefits of C++.

► 1. Always keep object-oriented and generic programming techniques in mind.

► 2. Always use C++ style coding technique which has many advantages over C style.

► Non object-oriented features of a C++ compiler can be also used in writing procedural programs.

Object Oriented Programming

61

C++'s Enhancements to C (Non-OO)

► Comment Lines

► /* This is a comment */

► // This is a comment

► C++ allows you to begin a comment with // and use the remainder of the line for comment text.

► This increases readability.

Object Oriented Programming

62

Declarations and Definitions in C++

► Remember; there is a difference between a declaration and a definition

► A declaration introduces a name - an identifier - to the compiler. It tells the compiler "This function or this variable exists somewhere, and here is what it should look like."

► A definition, on the other hand, says: "Make this variable here" or "Make this function here." It allocates storage for the name.

Object Oriented Programming

63

Example

```
extern int i;      // Declaration
int i;            // Definition

struct ComplexT{  // Declaration
    float re,im;
};
ComplexT c1,c2;   // Definition
void func( int, int); // Declaration (its body is a definition)
```

► In C, declarations and definitions must occur at the beginning of a block.

► In C++ declarations and definitions can be placed anywhere an executable statement can appear, except that they must appear prior to the point at which they are first used. This improves the readability of the program.

► A variable lives only in the block, in which it was defined. This block is the **scope** of this variable.

Object Oriented Programming

64

C++'s Enhancements to C (Non-OO)

```
int a=0;
for (int i=0; i < 100; i++){ // i is declared in for loop
    a++;
    int p=12;           // Declaration of p
    ...                 // Scope of p
}                       // End of scope for i and p
```

- ▶ Variable i is created at the beginning of the for loop once.
- ▶ Variable p is created 100 times.

C++'s Enhancements to C (Non-OO)

▶ Scope Operator ::

A definition in a block can hide a definition in an enclosing block or a global name. It is possible to use a hidden global name by using the scope resolution operator ::

```
int y=0;           // Global y
int x=1;           // Global x
void f(){          // Function is a new block
    int x=5;       // Local x=5, it hides global x
    ::x++;         // Global x=2
    x++;           // Local x=6
    y++;           // Global y=1
}
```

```
int x=1;
void f(){
    int x=2; // Local x
    ::x++;   // Global x is 2
}
```



```
int i=1;
main(){
    int i=2;
    {
        int n=i;
        int i=3;
        cout << i << " " << ::i << endl;
        cout << n << "n";
    }
    cout << i << " " << ::i << endl;
    return 0;
}
```

3 1
2
2 1

- ▶ Like in C, in C++ the same operator may have more than one meaning. The scope operator has also many different tasks.

inline functions

- ▶ In C, macros are defined by using the #define directive of the preprocessor.
- ▶ In C++ macros are defined as normal functions. Here the keyword inline is inserted before the declaration of the function.
- ▶ Remember the difference between normal functions and macros:
- ▶ A normal function is placed in a separate section of code and a call to the function generates a jump to this section of code.
- ▶ Before the jump the return address and arguments are saved in memory (usually in stack).

inline functions

Con't

- ▶ When the function has finished executing, return address and return value are taken from memory and control jumps back from the end of the function to the statement following the function call.
- ▶ The advantage of this approach is that the same code can be called (executed) from many different places in the program. This makes it unnecessary to duplicate the function's code every time it is executed.
- ▶ There is a disadvantage as well, however.
- ▶ The function call itself, and the transfer of the arguments take some time. In a program with many function calls (especially inside loops), these times can add up and decrease the performance.

C++ As a Better C 2

inline functions

Con't

```

#define sq(x) (x*x)
inline int SQ(int x){return (x*x); }
#define max(x,y) (y<x ? x : y)
inline int max(int x,int y){return (y<x ? x : y); }

```

► An inline function is defined using almost the same syntax as an ordinary function. However, instead of placing the function's machine-language code in a separate location, the compiler simply inserts it into the location of the function call. :

```

int j, k, l ; // Three integers are defined
..... // Some operations over k and l
j = max( k, l ) ; // inline function max is inserted
j= (k<l ? k : l)

```

Object Oriented Programming 71

C++ As a Better C 2

inline functions

Con't

- The decision to inline a function must be made with some care.
 - If a function is more than a few lines long and is called many times, then inlining it may require much more memory than an ordinary function.
 - It's appropriate to inline a function when it is short, but not otherwise. If a long or complex function is inlined, too much memory will be used and not much time will be saved.

Object Oriented Programming 72

C++ As a Better C 2

inline functions

Con't

- Advantages
 - Debugging
 - Type checking
 - Readable

Object Oriented Programming 73

C++ As a Better C 2

Default Function Arguments

- A programmer can give default values to parameters of a function. In calling of the function, if the arguments are not given, default values are used.

```

int exp(int n,int k=2){
    if(k == 2)
        return (n*n) ;
    else
        return ( exp(n,k-1)*n ) ;
}

```

exp(i+5)
// (i+5)* (i+5)

exp(i+5,3)
// (i+5)'in kubu

Object Oriented Programming 74

C++ As a Better C 2


Example

► In calling a function argument must be given from left to right without skipping any parameter

```

void f(int i, int j=7) ; // right
void g(int i=3, int j) ; // wrong
void h(int i, int j=3,int k=7) ; // right
void m(int i=1, int j=2,int k=3) ; // right
void n(int i=2, int j,int k=3) ; // right ? wrong

```



Object Oriented Programming 75

C++ As a Better C 2

```

void n(int i=1, int j=2,int k=3) ;

```

- n() → n(1,2,3)
- n(2) → n(2,2,3)
- n(3,4) → n(3,4,3)
- n(5,6,7) → n(5,6,7)

Object Oriented Programming 76

Function Declarations and Definitions

- ▶ C++ uses a stricter type checking.
- ▶ In function declarations (prototypes) the data types of the parameters must be included in the parentheses.

```
char grade (int, int, int); // declaration

int main()
{
    :
}
char grade (int exam_1, int exam_2, int final_exam) // definition
{
    : // body of function
}
```

Function Declarations and Definitions

- ▶ In C++ a return type must be specified; a missing return type does not default to **int** as is the case in C.
- ▶ In C++, a function that has no parameters can have an empty parameter list.

```
int print (void); /* C style */
int print(); // C++ style
```

Reference Operator — &


- ▶ This operator provides an alternative name for storage
- ▶ There are two usages of the operator

```
int n ;
int& nn = n ;
double a[10] ;
double& last = a[9] ;
const char& new_line = '\n' ;
```

- ▶ Parameters Passing: Consider swap() function

```
void swap(int *a, int *b){
    int temp = *a ;
    *a = *b ;
    *b = temp ; }
```

```
int main(){
    int i=3,j=5 ;
    swap(&i,&j) ;
    cout << i << " " << j << endl ;
}
```



```
void swap(int& a,int& b){
    int temp = a ;
    a = b ;
    b = temp ; }

int main(){
    int i=3,j=5 ;
    swap(i,j) ;
    cout << i << " " << j << endl ;
}
```

53

```
void shift(int& a1,int& a2,int& a3,int& a4){
    int tmp = a1 ;
    a1 = a2 ;
    a2 = a3 ;
    a3 = a4 ;
    a4 = tmp ;
}
```

```
int main(){
    int x=1,y=2,z=3,w=4;
    cout << x << y << z << w << endl;
    shift(x,y,z,w) ;
    cout << x << y << z << w << endl;
    return 0 ;
}
```

C++ As a Better C

```

int squareByValue(int a){
    return (a*a);
}

int main(){
    int x=2,y=3,z=4;
    squareByPointer(&x);
    cout << x << endl;
    squareByReference(y);
    cout << y << endl;
    z = squareByValue(z);
    cout << z << endl;
}

```

4
9
16

2

Object Oriented Programming

83

C++ As a Better C

const Reference

► To prevent the function from changing the parameter accidentally, we pass the argument as constant reference to the function.

```

struct Person{
    char name [40];
    int reg_num;
};

void print (const Person &k)
{
    cout << "Name: " << k.name << endl;
    cout << "Num: " << k.reg_num << endl;
}

int main(){
    Person ahmet;
    strcpy(ahmet.name,"Ahmet Bilir");
    ahmet.reg_num=324;
    print(ahmet);
    return 0;
}

```

// A structure to define persons
// Name filed 40 bytes
// Register number 4 bytes
// Total: 44 bytes
// k is constant reference parameter
// name to the screen
// reg_num to the screen
// ahmet is a variable of type Person
// name = "Ahmet Bilir"
// reg_num= 324
// Function call

Instead of 44 bytes only 4 bytes (address) are sent to the function.

2

Object Oriented Programming

84

C++ As a Better C

Return by reference

► By default in C++, when a function returns a value: *return expression*; *expression* is evaluated and its value is copied into stack. The calling function reads this value from stack and copies it into its variables.

► An alternative to "return by value" is "return by reference", in which the value returned is not copied into stack.

► One result of using "return by reference" is that the function which returns a parameter by reference can be used on the left side of an assignment statement.

```

int& max(const int a[], int length) {
    int i=0;
    for (int j=0; j<length; j++)
        if (a[j] > a[i]) i = j;
    return a[i];
}

int main() {
    int array[] = {12, -54, 0, 123, 63};
    max(array,5) = 0;
}

```

// Returns an integer reference
// Indices of the largest element
// returns reference to a[i]
// An array with 5 elements
// write 0 over the largest element

2

Object Oriented Programming

85

C++ As a Better C

const return parameter

To prevent the calling function from changing the return parameter accidentally, const qualifier can be used.

```

const int& max(int a[], int length)
{
    int i=0;
    for (int j=0; j<length; j++)
        if (a[j] > a[i]) i = j;
    return a[i];
}

```

This function can only be on right side of an assignment

```

int main()
{
    int array[] = {12, -54, 0, 123, 63};
    int largest;
    largest = max(array,5);
    cout << "Largest element is " << largest << endl;
    return 0;
}

```

// Can not be used on the left side of an assignment statement
// Indices of the largest element
// An array with 5 elements
// A variable to hold the largest elem.
// find the largest element

2

Object Oriented Programming

86

C++ As a Better C

Never return a local variable by reference!

- Since a function that uses "return by reference" returns an actual memory address, it is important that the variable in this memory location remain in existence after the function returns.
- When a function returns, local variables go out of existence and their values are lost.

```

int& f() {
    int i;
    return i;
}

```

// Return by reference
// Local variable. Created in stack
// ERROR! i does not exist anymore.

Local variables can be returned by their values

```

int f() {
    int i;
    return i;
}

```

// Return by value
// Local variable. Created in stack
// OK.

2

Object Oriented Programming

87

C++ As a Better C

new/delete

► In ANSI C, dynamic memory allocation is normally performed with standard library functions *malloc* and *free*.

► The C++ *new* and *delete* operators enable programs to perform dynamic memory allocation more easily.

► The most basic example of the use of these operators is given below. An int pointer variable is used to point to memory which is allocated by the operator new. This memory is later released by the operator delete.

```

in C:    int *p;
         p = (int *) malloc(N*sizeof(int));
         free(p);

in C++:  int *p;
         p = new int[N];
         delete p;

```

int *p,*q;
p = new int[9];
q = new int(9);

2

Object Oriented Programming

88

C++ As a Better C 2

Two Dimensional Array


```

1 double ** q ;
  q = new double*[row] ; // matrix size is rowxcolumn
  for(int i=0;i<row;i++)
      q[i] = new double[column] ;
  .....
  for(int i=0;i<row;i++)
      delete []q[i] ;
  delete []q ;

```

i^{th} row j^{th} column: $q[i][j]$

Object Oriented Programming 89



C++ As a Better C 2

Two Dimensional Array


```

1 double **q;
  p = new double*[row] ; // matrix size is rowxcolumn
  q[0] = new double[row*column] ;
  for(int i=1;i<row;i++)
      q[i] = q[i-1] + column ;
  .....
  delete []q[0] ;
  delete []q ;

```

i^{th} row j^{th} column: $q[i][j]$

Object Oriented Programming 91



C++ As a Better C 2

```

double ** q ;
memoryAlign = column % 4;
memoryWidth = ( memoryAlign == 0 ) ?
               column : (column+4 -memoryAlign) ;
q[0] = new double[row*memoryWidth] ;
for(int i=0;i<row;i++)
    q[i] = q[i-1] + memoryWidth ;
.....
delete []q[0] ;
delete []q ;

```

Object Oriented Programming 93

Function Overloading

C++ As a Better C 2

Function Overloading

```

double average(const double a[],int size) ;
double average(const int a[],int size) ;
double average(const int a[], const double b[],int size) ;

```

```

1 double average(const int a[],int size) {
    double sum = 0.0 ;
    for(int i=0;i<size;i++) sum += a[i] ;
    return ((double)sum/size) ;
}

```

Object Oriented Programming 94

C++ As a Better C 2

```

2 double average(const double a[],int size) {
    double sum = 0.0 ;
    for(int i=0;i<size;i++) sum += a[i] ;
    return (sum/size) ;
}
3 double average(const int a[],const double b[],int size) {
    double sum = 0.0 ;
    for(int i=0;i<size;i++) sum += a[i] + b[i] ;
    return (sum/size) ;
}

```

Object Oriented Programming 95

C++ As a Better C 2

```

int main() {
    int w[5]={1,2,3,4,5} ;
    double x[5]={1.1,2.2,3.3,4.4,5.5} ;
1 cout << average(w,5) ;
2 cout << average(x,5) ;
3 cout << average(w,x,5) ;
    return 0 ;
}

```

Object Oriented Programming 96

Function Templates

► Function Templates

```

template <typename T>
void printArray(const T *array,const int size){
    for(int i=0;i < size;i++)
        cout << array[i] << " " ;
    cout << endl ;
}

```

Object Oriented Programming 97

C++ As a Better C 2

```

int main() {
    int a[3]={1,2,3} ;
    double b[5]={1.1,2.2,3.3,4.4,5.5} ;
    char c[7]='a','b','c','d','e','f','g' ;
1 printArray(a,3) ;
2 printArray(b,5) ;
3 printArray(c,7) ;
    return 0 ;
}

```

Object Oriented Programming 98

C++ As a Better C 2

```

void printArray(int *array,const int size){
    for(int i=0;i < size;i++)
        cout << array[i] << " " ;
    cout << endl ;
}
void printArray(char *array,const int size){
    for(int i=0;i < size;i++)
        cout << array[i] ;
    cout << endl ;
}

```

Object Oriented Programming 99

Operator Overloading

► In C++ it is also possible to overload the built-in C++ operators such as +, -, = and ++ so that they too invoke different functions, depending on their operands.

► That is, the + in **a+b** will add the variables if **a** and **b** are integers, but will call a different function if **a** and **b** are variables of a user defined type.

C++ As a Better C 2

Object Oriented Programming 100

C++ As a Better C 2

Operator Overloading: Rules

- ▶ You can't overload operators that don't already exist in C++.
- ▶ You can not change numbers of operands. A binary operator (for example +) must always take two operands.
- ▶ You can not change the precedence of the operators.
 - * comes always before +
- ▶ Everything you can do with an overloaded operator you can also do with a function. However, by making your listing more intuitive, overloaded operators make your programs easier to write, read, and maintain.
- ▶ Operator overloading is mostly used with objects. We will discuss this topic later more in detail.

Object Oriented Programming 101

C++ As a Better C 2

Operator Overloading

- ▶ Functions of operators have the name operator and the symbol of the operator. For example the function for the operator + will have the name operator+:

```

struct SComplex{
    float real,img;
};
SComplex operator+(SComplex v1, SComplex v2){
    SComplex result;
    result.real=v1.real+v2.real;
    result.img=v1.img+v2.img;
    return result;
}

int main(){
    SComplex c1={1,2},c2={5,1};
    SComplex c3;
    c3=c1+c2; // c1+(c2)
}

```

Object Oriented Programming 102

C++ As a Better C 2

namespace

- ▶ When a program reaches a certain size it's typically broken up into pieces, each of which is built and maintained by a different person or group.
- ▶ Since C effectively has a single arena where all the identifier and function names live, this means that all the developers must be careful not to accidentally use the same names in situations where they can conflict.
- ▶ The same problem come out if a programmer try to use the same names as the names of library functions.
- ▶ Standard C++ has a mechanism to prevent this collision: the namespace keyword. Each set of C++ definitions in a library or program is "wrapped" in a namespace, and if some other definition has an identical name, but is in a different namespace, then there is no collision.

Object Oriented Programming 103

C++ As a Better C 2

namespace

```

namespace programmer1 { // programmer1's namespace
    int iflag;           // programmer1's iflag
    void g(int);         // programmer1's g function
    :                   // other variables
}                        // end of namespace

namespace programmer2{ // programmer2's namespace
    int iflag;           // programmer2's iflag
    :
}                        // end of namespace

```

Object Oriented Programming 104

C++ As a Better C 2

Accessing Variables

```

programmer1::iflag = 3; // programmer1's iflag
programmer2::iflag = -345; // programmer2's iflag
programmer1::g(6); // programmer1's g function

```

If a variable or function does not belong to any namespace, then it is defined in the global namespace. It can be accessed without a namespace name and scope operator.

This declaration makes it easier to access variables and functions, which are defined in a namespace.

```

using programmer1::iflag; // applies to a single item in the namespace
iflag = 3; // programmer1::iflag=3;
programmer2::iflag = -345;
programmer1::g(6);

using namespace programmer1; // applies to all elements in the namespace
iflag = 3; // programmer1::iflag=3;
g(6); // programmer1's function g
programmer2::iflag = -345;

```

Object Oriented Programming 105

C++ As a Better C 2

namespace

```

#include <iostream>

namespace F {
    float x = 9;
}

namespace G {
    using namespace F;
    float x = 2.0;
    namespace INNER_G {
        float z = 10.01;
    }
}

int main(void) {
    float x = 19.1;
    using namespace G;
    using namespace G::INNER_G;
    std::cout << "x = " << x << std::endl;
    std::cout << "y = " << y << std::endl;
    std::cout << "z = " << z << std::endl;
    return 0;
}

```

Object Oriented Programming 106

C++ As a Better C 2

Standard C++ Header Files

- In the first versions of C++, mostly '.h' is used as extension for the header files.
- As C++ evolved, different compiler vendors chose different extensions for file names (.hpp, .H , etc.). In addition, various operating systems have different restrictions on file names, in particular on name length. These issues caused source code portability problems.
- To solve these problems, the standard uses a format that allows file names longer than eight characters and eliminates the extension.
- For example, instead of the old style of including iostream.h, which looks like this: `#include <iostream.h>`, you can now write: `#include <iostream>`

Object Oriented Programming
107

C++ As a Better C 2

Standard C++ Header Files

- The libraries that have been inherited from C are still available with the traditional '.h' extension. However, you can also use them with the more modern C++ include style by putting a "c" before the name. Thus:
`#include <stdio.h>` become: `#include <cstdio>`
`#include <stdlib.h>` `#include <cstdlib>`
- In standard C++ headers all declarations and definitions take place in a namespace : **std**
- Today most of C++ compilers support old libraries and header files too. So you can also use the old header files with the extension '.h'. For a high-quality program prefer always the new libraries.

Object Oriented Programming
108

C++ As a Better C 2

I/O

- Instead of library functions (printf, scanf), in C++ library objects are used for IO operations.
- When a C++ program includes the **iostream** header, four objects are created and initialized:
 - **cin** handles input from the standard input, the keyboard.
 - **cout** handles output to the standard output, the screen.
 - **cerr** handles unbuffered output to the standard error device, the screen.
 - **clog** handles buffered error messages to the standard error device

Object Oriented Programming
109

C++ As a Better C 2

Using cout Object

To print a value to the screen, write the word **cout**, followed by the insertion operator (<<).

```
#include <iostream>           // Header file for the cout object
int main() {
    int i=5;           // integer i is defined, initial value is 5
    float f=4.6;       // floating point number f is defined, 4.6
    std::cout << "Integer Number = " << i << " Real Number= " << f;
    return 0;
}
```

Object Oriented Programming
110

C++ As a Better C 2

Using cin Object

The predefined cin stream object is used to read data from the standard input device, usually the keyboard. The cin stream uses the >> operator, usually called the "get from" operator.

```
#include <iostream>
using namespace std; // we don't need std:: anymore
int main() {
    int i,j; // Two integers are defined
    cout << "Give two numbers \n"; // cursor to the new line
    cin >> i >> j; // Read i and j from the keyboard
    cout << "Sum= " << i + j << "\n";
    return 0;
}
```

Object Oriented Programming
111

C++ As a Better C 2

std namespace

```
#include <string>
#include <iostream>
using namespace std;
int main() {
    string test;
    while(test.empty() || test.size() <= 5)
    {
        cout << "Type a string longer string. " << endl;
        cin >> test;
    }
    printf("%s",test.c_str())
}
```

Object Oriented Programming
112

C++ As a Better C 2

bool Type

The type `bool` represents boolean (logical) values: true and false

Before `bool` became part of Standard C++, everyone tended to use different techniques in order to produce Boolean-like behavior.

These produced portability problems and could introduce subtle errors.

Because there's a lot of existing code that uses an `int` to represent a flag, the compiler will implicitly convert from an `int` to a `bool` (nonzero values will produce `true` while zero values produce `false`).

Do not prefer to use integers to produce logical values.

```
bool is_greater;           // Boolean variable: is_greater
is_greater = false;        // Assigning a logical value
int a,b;
.....
is_greater = a > b;         // Logical operation
if (is_greater) .....     // Conditional operation
```

Object Oriented Programming 113

C++ As a Better C 2

constant

- In standard C, preprocessor directive `#define` is used to create constants: `#define PI 3.14`
- C++ introduces the concept of a named constant that is just like a variable, except that its value cannot be changed.
- The modifier `const` tells the compiler that a name represents a constant:

```
const int MAX = 100;
...
MAX = 5; // Compiler Error!
```
- `const` can take place before (left) and after (right) the type. They are always (both) allowed and equivalent.

```
int const MAX = 100; // The same as const int MAX = 100;
```
- Decreases error possibilities.
- To make your programs more readable, use uppercase font for constant identifiers.

Object Oriented Programming 114

C++ As a Better C 2

Use of constant-1

Another usage of the keyword `const` is seen in the declaration of pointers. There are three different cases:

a) The data pointed by the pointer is constant, but the pointer itself however may be changed.

```
const char *p = "ABC";
```

`p` is a pointer variable, which points to chars. The `const` word may also be written after the type:

```
char const *p = "ABC";
```

Whatever is pointed to by `p` may not be changed: the chars are declared as `const`. The pointer `p` itself however may be changed.

```
*p = 'Z'; // Compiler Error! Because data is constant
p++;     // OK, because the address in the pointer may change.
```

Object Oriented Programming 115

C++ As a Better C 2

Use of constant-2

b) The pointer itself is a `const` pointer which may not be changed. Whatever data is pointed to by the pointer may be changed.

```
char * const sp = "ABC"; // Pointer is constant, data may change
*sp = 'Z';             // OK, data is not constant
sp++;                  // Compiler Error! Because pointer is constant
```

Object Oriented Programming 116

C++ As a Better C 2

Use of constant-3

c) Neither the pointer nor what it points to may be changed

The same pointer definition may also be written as follows:

```
char const * const ssp = "ABC";
const char * const ssp = "ABC";
*ssp = 'Z'; // Compiler Error! Because data is constant
ssp++;     // Compiler Error! Because pointer is const
```

► The definition or declaration in which `const` is used should be read from the variable or function identifier back to the type identifier: "`ssp` is a `const` pointer to `const` characters"

Object Oriented Programming 117

C++ As a Better C 2

Casts

- Traditionally, C offers the following *cast* construction:

```
(typename) expression
```
- Example:** `f = (float)i / 2;`
- Following that, C++ initially also supported the *function call style* cast notation:

```
typename(expression)
```
- Example:** Converting an integer value to a floating point value

```
int i=5;
float f;
f = float(i)/2;
```
- But, these casts are now called *old-style casts*, and they are deprecated. Instead, *four new-style casts* were introduced.

Object Oriented Programming 118

Casts: static_cast

- The `static_cast<type>(expression)` operator is used to convert one type to an acceptable other type.

```
int i=5;
float f;
f = static_cast<float>(i)/2;
```

Casts: const_cast

- The `const_cast<type>(expression)` operator is used to do away with the const-ness of a (pointer) type.

- In the following example p is a pointer to constant data, and q is a pointer to non-constant data. So the assignment `q = p` is not allowed.

```
const char *p = "ABC"; // p points to constant data
char      *q;          // data pointed by q may change
q = p;                // Compiler Error! Constant data may change
```

- If the programmer wants to do this assignment on purpose then he/she must use the `const_cast` operator:

```
q = const_cast<char *>(p);
*q = 'X'; // Dangerous?
```

Casts: reinterpret_cast

- The `reinterpret_cast<type>(expression)` operator is used to reinterpret byte patterns. For example, the individual bytes making up a structure can easily be reached using a `reinterpret_cast`

```
struct S{
    int i1,i2; // A structure
              // made of two integers
};
int main(){
    S x; // x is of type S
    x.i1=1; // fields of x are filled
    x.i2=2;
    unsigned char *xp; // A pointer to unsigned chars
    xp = reinterpret_cast<unsigned char *>(&x);
    for (int j=0;j<8;j++) // bytes of x on the screen
        std::cout << static_cast<int>(*xp++)<<endl;
    return 0;
}
```

- The structure S is made of two integers (2x4=8 bytes). x is a variable of type S. Each byte of x can be reached by using the pointer xp.

Casts: dynamic_cast

- The `dynamic_cast<T>()` operator is used in the context of inheritance and polymorphism. We will see these concepts later. The discussion of this cast is postponed until the section about polymorphism.

- Using the cast-operators is a dangerous habit, as it suppresses the normal type-checking mechanism of the compiler.

- It is suggested to prevent casts if at all possible.

- If circumstances arise in which casts have to be used, document the reasons for their use well in your code, to make double sure that the cast is not the underlying cause for a program to misbehave.