

Tablo 1. $V_{DS} = 1.5V$ sabit değeri için ve V_{BS} taban-kaynak gerilimi sırasıyla $V_{BS} = 0V$, $V_{BS} = -0.25V$,
 $V_{BS} = -0.5V$, $V_{BS} = -0.75V$ ve $V_{BS} = -1V$ alınarak elde edilen geçiş eğrisi verileri.

VBS	0V	-0.25V	-0.5V	-0.75V	-1V
VGS (Volt)	ID(A)	ID(A)	ID(A)	ID(A)	ID(A)
1.000E-01	3.448E-09	9.943E-10	3.560E-10	1.489E-10	7.038E-11
2.000E-01	4.741E-08	1.454E-08	5.422E-09	2.322E-09	1.104E-09
3.000E-01	6.520E-07	2.131E-07	8.299E-08	3.670E-08	1.789E-08
4.000E-01	9.931E-06	3.123E-06	1.271E-06	5.806E-07	2.904E-07
5.000E-01	1.022E-04	5.639E-05	2.777E-05	1.084E-05	4.714E-06
6.000E-01	2.733E-04	2.009E-04	1.474E-04	1.071E-04	7.639E-05
7.000E-01	5.059E-04	4.138E-04	3.418E-04	2.839E-04	2.366E-04
8.000E-01	7.873E-04	6.804E-04	5.943E-04	5.232E-04	4.634E-04
9.000E-01	1.108E-03	9.897E-04	8.930E-04	8.118E-04	7.423E-04
1.000E+00	1.460E-03	1.333E-03	1.229E-03	1.140E-03	1.063E-03
1.100E+00	1.837E-03	1.705E-03	1.594E-03	1.499E-03	1.416E-03
1.200E+00	2.236E-03	2.099E-03	1.983E-03	1.884E-03	1.797E-03
1.300E+00	2.652E-03	2.512E-03	2.393E-03	2.290E-03	2.199E-03
1.400E+00	3.083E-03	2.940E-03	2.818E-03	2.712E-03	2.619E-03
1.500E+00	3.526E-03	3.381E-03	3.257E-03	3.150E-03	3.054E-03