

TABLE: SELECTED DIMENSIONAL EQUIVALENTS

Length	1 m = 3.280 ft 0.39,37 in 1 cm = 10^{-2} m = 0.394 in = 0.038 ft 1 mm = 10^{-3} m 1 micron (m) = 10^{-10} m 1 Angstrom (°A) 10^{-6} m
Time	1 hr = 3600 sec = 60 min 1 miliseç = 10^{-3} sec 1 microsec (µsec) = 10^{-6} sec 1 nanosec (nsec) = 10^{-9} sec
Mass	1 kg = 1000 gr = 2.2046 lbm = 6.8521×10^{-3} slugs 1 slugs = 1 lbf.sec ⁻² /ft = 32.174 lbm 1 amu = 1.66×10^{-27} kg
Force	1 newton = 1 kg.m/sec ² 1 dyne = 1 gr.cm/sec ² 1 lbf = 4.448×10^5 dyne = 4.448 newtons
Energy	1 joule = 1 kg.m ² /sec ² = 0.239 cal = 0.738 ft.lb = 2.78×10^{-7} kwh 1 joule = 10^7 erg 1 Btu = 778.18 ft.lbf = 1.055×10^{15} erg = 252 cal 1 cal = 4.186 joule 1 erg = 1 gr.cm ² /sec ² 1 eV = 1.602×10^{-19} joules = 160×10^{-12} erg
Power	1 Watt = 1 kg.m ² /sec ³ = 1 joule/sec 1 hp = 550 ft.lbf/sec 1 hp = 2545 Btu/hr = 746 Watts 1 kWatt = 1000 Watts = 3413 Btu/hr
Pressure	1 atm = 14.696 lbf/in ² = 760 torr 1 mmHg = 0.01931 lbf/in ² = 1 torr 1 dyne/cm ² = 145.04×10^{-7} 1 bar = 14.504 lbf/in ² = 10^6 dynes/cm ² 1 micron (µ) = 10^{-6} mmHg = 10^{-3} mmHg 1 hPa = 1 mb 1 hPa = 100 Pa
Volume	1 gal = 0.13368 ft ³ 1 liter = 1000.028 cm ³
Temperature	1 °K = 1 °C = 1.8 °F = 1.8 °R 0 °C corresponds to 32 °F, 273.16 °K, and 491.69 °R 1 eV = 11600 °K
Magnetic Quantities	1 Gauss = 1 g ^{1/2} /cm ^{1/2} .sec 1 Gauss = 10^3 coul/m.sec for M 1 Gauss = $(1/4\pi) \times 10^3$ coul/m.sec for H 1 Gauss = 10^{-4} Tesla for B 1 Tesla = 1 kg/coul.sec 1 Tesla = 1 kg/A.sec ² 1 nT = 10^{-9} Tesla 1 nT = 10^{-5} Gauss 1 gamma = 1 g = 1 nT Magnetic Flux: $\phi_B = \int \vec{B} \cdot d\vec{A}$, 1 Weber = 1 kg.m ² /coul.sec $ \vec{B} = \text{kg/sec.coul}$
Electrical Quantities	E-potential: $\mathcal{E}, d\mathcal{E} = \vec{E} \cdot d\vec{l}$ E, 1 volt = 1 kg.m ² /coul.sec ² $ \vec{E} = \text{kg.m/coul.sec}$ Current Density: coul/m ² .sec Current: coul/sec Resistance (R): 1 ohm = 1 kg.m ² /coul ² .sec

PHYSICAL CONSTANTS

Avogadro's Number	$N = 6.025 \times 10^{23}$ /g.mole
Bolzman's Constant	$k = 1.38 \times 10^{-23}$ joule / $^{\circ}$ K
Stefan Boltzmann Constant	$\sigma = 5.7 \times 10^{-5}$ erg/cm 2 .sec. $^{\circ}$ K 4 $\sigma = 5.67 \times 10^{-8}$ joule/m 2 .sec. $^{\circ}$ K 4
Gas Constant	$R = 1545.33$ ft.lbf/lb.mole. $^{\circ}$ R $R = 8.317$ joule/g-mole. $^{\circ}$ K $R = 8317$ joule/kg-mole. $^{\circ}$ K $R = 1.986$ Btu/lb.mole. $^{\circ}$ R $R = 1.986$ cal/g.mole. $^{\circ}$ K
Planck's Constant	$h = 6.625 \times 10^{-34}$ joule.sec
Biot-Savart Constant	$1/4\pi\epsilon_0 = 8.987 \times 10^9$ kg.m 3 /coul 2 .sec 2 $\mu_0/4\pi = 1.000 \times 10^{-7}$ kg.m/coul 2
Electronic Charge	$e = -1.6021 \times 10^{-19}$ coul
Proton Mass	$m_p = 1.67 \times 10^{-27}$ kg
Electron Mass	$m_e = 9.1 \times 10^{-31}$ kg
Speed of Light	$c = 2.998 \times 10^8$ m/sec
Newton's Constant	$g_c = 32.174$ ft.lbm/lbf.sec 2
Gravitational Constant	$k_G = 6.67 \times 10^{-11}$ m 3 /kg.sec 2
Wienn's Constant	$c = 0.28$ cm. $^{\circ}$ K
Sun-Earth Distance	1 AU = 1.5×10^8 km
Solar Constant for Earth	$I_o = 1.94$ cal/cm 2 min $I_o = 1370$ Watt/m 2
Sun's Radius	$R_{sun} = 7 \times 10^5$ km
Sun's Mass	$M_{sun} = 2 \times 10^{30}$ kg
Sun's Surface Temperature	$T = 6000$ $^{\circ}$ K
Sun's Luminosity	$L = 4 \times 10^{26}$ Watt
Earth's Radius	$R_{Earth} = 6378$ km
Earth's Albedo	A or $\alpha = \% 33$ or 0.33
Magnetic Field at the Earth's Equator	$B_o = 0.36$ Gauss (CGS) $B_o = 0.3 \times 10^{-4}$ Tesla (MKS)
μ_0	$\mu_0 = 4\pi \times 10^{-7}$ (MKS, Henry/m, or kg.m/coul 2 , Henry = kg.m 2 /coul 2)
<p>R : Universal Gas Constant R^* : Specific Gas Constant $R^* = (R \times 10^3)/M$, $M = 29$ amu for Air $R^* = (8.317 \times 10^3)/29 = 286$ (MKS) $P = \rho R^* T$ or $PV = RT$</p>	

Symbol	MKS (SI)	CGS (Gaussian System)
Length	1 m	10^2 cm
Mass	1 kg	10^3 g
Time	1 s, 1 sec	1 s, 1 sec
Force	1 N	10^5 dynes
Work or Energy	1 J	10^7 erg
Power	1 W	10^7 ergs/s
Charge	1 C	3×10^9 statcoul
Current	1 A	3×10^9 statamp
Electric Field Strength	1 V/m	$(1/3) \times 10^{-4}$ statvolt/cm
Electric Potential	1 V	(1/300) statvolt
Electric Polarization	1 C/m ²	3×10^5 statcoul/cm ²
Electric Displacement	1 C/m ²	$12\pi \times 10^5$ statvolt/cm ²
Resistance	1 Ω	$(1/9) \times 10^{-11}$ s/cm
Capacitance	1 F	9×10^{11} cm
Magnetic Flux	1 Wb	10^8 Maxwells
Magnetic Induction	1 T	10^4 Gauss
Magnetic Field Strength	1 A-turn/m	$4\pi \times 10^3$ Gauss

To convert to	Multiply by
kilo	10^3
mega	10^6
giga	10^9
centri	10^{-2}
mili	10^{-3}
micro	10^{-6}
nano	10^{-9}
pico	10^{-12}
ppmv = one per million	10^{-6}
ppbv = one per billion	10^{-9}
pptv = one per trillion	10^{-12}

LENGTH

- 1 kilometer (km) = 1000 meters (m)
 = 3281 feet (ft)
 = 0.62 mile (mi)
- 1 mile (mi) = 5280 feet (ft)
 = 1609 meters (m)
 = 1.61 kilometers (km)
- 1 centimeter (cm) = 0.39 inch (in.)
 = 0.01 meter (m)
- 1 inch (in.) = 2.54 cm
 = 0.08 ft
- 1 meter (m) = 100 cm
 = 3.28 ft
 = 39.37 in.
- 1 micrometer (μm) = 0.0001 cm
 = 0.000001 m

AREA

- 1 square centimeter (cm^2) = 0.15 in.^2
 1 square inch (in.^2) = 6.45 cm^2
 1 square meter (m^2) = 10.76 ft^2
 1 square foot (ft^2) = 0.09 m^2

VOLUME

- 1 cubic centimeter (cm^3) = 0.06 in.^3
 1 cubic inch (in.^3) = 16.39 cm^3
 1 liter (l) = 1000 cm^3

SPEED

- 1 knot = 1.15 mph
 = 0.51 mps
 = 1.85 kph
- 1 mile per hour (mph) = 0.87 knot
 = 0.45 mps
 = 1.61 kph
- 1 kilometer per hour (kph) = 0.54 knot
 = 0.62 mph
 = 0.28 mps
- 1 meter per second (mps) = 1.9 knots
 = 2.2 mph
 = 3.6 kph

A

UNITS, CONVERSIONS, AND ABBREVIATIONS

MASS

- 1 gram (g) = 0.035 ounce
 = 0.002 lb
- 1 kilogram (kg) = 1000 g
 = 2.2 lb

ENERGY


- 1 joule (J) = 0.239 cal
 1 calorie (cal) = 4.187 J

PRESSURE

- 1 millibar (mb) = 1000 dynes/ cm^2
 = 0.75 millimeter of mercury
 = 0.03 inch of mercury
 = 0.01 pound per square
 inch (psi)
 = 100 pascals (Pa)
- 1 standard atmosphere = 1013.25 mb
 = 760 millimeters of
 mercury
 = 29.92 inches of
 mercury
 = 14.7 psi

Appendix A Conversion to SI Units

Physical quantity	Unit	SI (MKS) equivalent
Length	ft	0.305 m
	μm	10^{-6} m
	nm	10^{-9} m
Time	day	8.64×10^4 s
Mass	lb	0.454 kg
Temperature	$^{\circ}\text{F}$	$273 + (^{\circ}\text{F} - 32)/1.8$ K
Volume	liter	10^{-3} m ³
Velocity	mph	0.447 m s ⁻¹
	knots	0.515 m s ⁻¹
	km hr ⁻¹	0.278 m s ⁻¹
	fps	0.305 m s ⁻¹
Force	kg m s ⁻²	1 N
	lb	0.138 N
	dyne	10^{-5} N
Pressure	N m ⁻²	1 Pa
	bar	10^5 Pa
	mb	10^2 Pa = 1 hPa
Energy	kg m ² s ⁻²	1 J
	Nm	1 J
	erg	10^{-7} J
	cal	4.187 J
Power	kg m ⁻² s ⁻³	1 W
	J s ⁻¹	1 W
	Langley day ⁻¹	4.84×10^{-1} W m ⁻²
Specific heat	cal gm ⁻¹	4.184×10^3 J kg ⁻¹
Energy flux	cal cm ⁻² min ⁻¹	6.97×10^2 W m ⁻²



Appendix C
Physical Constants

Appendix C
Physical Constants

Phy

$N_A = 6.022 \times 10^{23}$ Avogadro's number	$N_A = 6.022 \times 10^{23}$ Avogadro's number	$N_A = 6.022 \times 10^{23}$ Avogadro's number
$R = 8.314$ J/mol \cdot K universal gas constant	$R = 8.314$ J/mol \cdot K universal gas constant	$R = 8.314$ J/mol \cdot K universal gas constant
$k = 1.38$ J/K Boltzmann's constant	$k = 1.38$ J/K Boltzmann's constant	$k = 1.38$ J/K Boltzmann's constant
$h = 6.626 \times 10^{-34}$ J \cdot s Planck's constant	$h = 6.626 \times 10^{-34}$ J \cdot s Planck's constant	$h = 6.626 \times 10^{-34}$ J \cdot s Planck's constant
$\sigma = 5.67 \times 10^{-8}$ W/m 2 \cdot K 4 Stefan-Boltzmann constant	$\sigma = 5.67 \times 10^{-8}$ W/m 2 \cdot K 4 Stefan-Boltzmann constant	$\sigma = 5.67 \times 10^{-8}$ W/m 2 \cdot K 4 Stefan-Boltzmann constant
$c = 2.998 \times 10^8$ m/s speed of light	$c = 2.998 \times 10^8$ m/s speed of light	$c = 2.998 \times 10^8$ m/s speed of light
$F = 1.36$ W/m 2 solar constant	$F = 1.36$ W/m 2 solar constant	$F = 1.36$ W/m 2 solar constant
$a = 6.37$ Radius of the earth	$a = 6.37$ Radius of the earth	$a = 6.37$ Radius of the earth
$g = 9.8$ Standard gravity	$g = 9.8$ Standard gravity	$g = 9.8$ Standard gravity
$v = 7.26$ Wavelength of visible red light	$v = 7.26$ Wavelength of visible red light	$v = 7.26$ Wavelength of visible red light

	Appendix E	Appendix E
Coordinates	Curvilinear Coordinates	Curvilinear Coordinates

Spherical Coordinates (λ, ϕ, r) Spherical Coordinates (λ, ϕ, r)

$$\begin{aligned}
 \nabla \psi &= \frac{1}{r \cos \phi} \frac{\partial \psi}{\partial \lambda} \mathbf{e}_\lambda + \frac{1}{r} \frac{\partial \psi}{\partial \phi} \mathbf{e}_\phi + \frac{\partial \psi}{\partial r} \mathbf{e}_r & \nabla \psi &= \frac{1}{r \cos \phi} \frac{\partial \psi}{\partial \lambda} \mathbf{e}_\lambda + \frac{1}{r} \frac{\partial \psi}{\partial \phi} \mathbf{e}_\phi + \frac{\partial \psi}{\partial r} \mathbf{e}_r \\
 \nabla^2 \psi &= \frac{1}{r^2 \cos \phi} \left[\frac{\partial}{\partial \lambda} \left(r^2 \cos \phi \frac{\partial \psi}{\partial \lambda} \right) + \frac{\partial}{\partial \phi} \left(r \cos \phi \frac{\partial \psi}{\partial \phi} \right) + \frac{\partial}{\partial r} \left(r^2 \cos \phi \frac{\partial \psi}{\partial r} \right) \right] & \nabla^2 \psi &= \frac{1}{r^2 \cos \phi} \left[\frac{\partial}{\partial \lambda} \left(r^2 \cos \phi \frac{\partial \psi}{\partial \lambda} \right) + \frac{\partial}{\partial \phi} \left(r \cos \phi \frac{\partial \psi}{\partial \phi} \right) + \frac{\partial}{\partial r} \left(r^2 \cos \phi \frac{\partial \psi}{\partial r} \right) \right] \\
 \nabla^2 \psi &= \frac{1}{r^2 \cos \phi} \left\{ r \cos \phi \left[\frac{\partial^2 A_r}{\partial \phi^2} - \frac{\partial(r A_\phi)}{\partial r} \right] \mathbf{e}_\lambda + \frac{1}{r^2 \cos \phi} \left\{ r \cos \phi \left[\frac{\partial A_r}{\partial \phi} - \frac{\partial}{\partial r} (r A_\phi) \right] \right. \right. \\
 &+ r \left[\frac{\partial}{\partial r} (r \cos \phi A_\lambda) - \frac{\partial A_r}{\partial \lambda} \right] \mathbf{e}_\phi & &+ r \left[\frac{\partial}{\partial r} (r \cos \phi A_\lambda) - \frac{\partial A_r}{\partial \lambda} \right] \\
 &\left. \left. \right\} + \left[\frac{\partial(r A_\phi)}{\partial \lambda} - \frac{\partial}{\partial \phi} (r \cos \phi A_\lambda) \right] \mathbf{e}_r \right\} & &+ \left[\frac{\partial(r A_\phi)}{\partial \lambda} - \frac{\partial}{\partial \phi} (r \cos \phi A_\lambda) \right] \\
 \left(\cos \phi \frac{\partial^2 \psi}{\partial \phi^2} \right) &+ \frac{1}{r^2 \cos^2 \phi} \left(\frac{\partial^2 \psi}{\partial \lambda^2} \right) + \frac{1}{r^2 \cos \phi} \frac{\partial}{\partial \phi} \left(\cos \phi \frac{\partial \psi}{\partial \phi} \right) + \frac{1}{r^2 \cos^2 \phi} \left(r^2 \frac{\partial^2 \psi}{\partial r^2} \right) - \frac{1}{r^2 \cos \phi} \frac{\partial}{\partial \phi} \\
 \frac{\partial A_r}{\partial \lambda} \nabla^2 A_\phi &= \left[\nabla^2 A_\phi \right] \frac{\mathbf{e}_\lambda}{r^2 \cos^2 \phi} + \frac{2}{r^2 \cos \phi} \frac{\partial A_r}{\partial \lambda} \nabla^2 \left[\frac{\sin \phi}{r^2} \frac{\partial A_\phi}{\partial \lambda} \right] \frac{\mathbf{e}_\lambda}{r^2 \cos^2 \phi} + \frac{2}{r^2 \cos \phi} \\
 \frac{\partial A_r}{\partial \phi} - \frac{2 \sin \phi}{r^2 \cos^2 \phi} \left[\frac{\partial A_\lambda}{\partial \lambda} \right] \mathbf{e}_\phi &- \frac{A_\phi}{r^2 \cos^2 \phi} + \frac{2}{r^2} \frac{\partial A_r}{\partial \phi} - \frac{2 \sin \phi}{r^2 \cos^2 \phi} \left[\frac{\partial A_\lambda}{\partial \lambda} \right] \mathbf{e}_\phi - \frac{A_\phi}{r^2 \cos^2 \phi} + \frac{2}{r^2} \\
 \frac{\partial}{\partial r} (\sin \phi A_\phi) &= \left[\nabla^2 A_\phi \right] \frac{\mathbf{e}_r}{r^2 \cos \phi} + \frac{2}{r^2 \cos \phi} \frac{\partial}{\partial \phi} (\sin \phi A_\phi) = \left[\nabla^2 A_\phi \right] \frac{\mathbf{e}_r}{r^2 \cos \phi} + \frac{2}{r^2 \cos \phi}
 \end{aligned}$$

